

# Sortimentsübersicht 07/2012

## OSB



DEHA Holzindustrie GmbH & Co. KG  
Beim Industriehafen 57  
28237 Bremen  
Telefon +49 (0) 421 - 64 30 70  
Telefax + 49 (0) 421 - 64 08 99  
E-Mail [deha@deha-holz.de](mailto:deha@deha-holz.de)  
Internet [www.deha-holz.de](http://www.deha-holz.de)

	Art.-Nr.	Stärke mm	Format mm		Paket- inhalt	Lager- artikel
<b>OSB 2/ EN 300</b>		18	2800 x 2070	stumpf	25	x
<b>OSB/3- EN 300</b>		15	2050 x 675	N + F	60	x
		18	2050 x 675	N + F	50	x
<b>OSB/3- Eco</b>		12	2500 x 625	N + F	59	x
		15	2500 x 625	N + F	47	x
		18	2500 x 625	N + F	39	x
		22	2500 x 625	N + F	32	x
		25	2500 x 625	N + F	28	x
<b>OSB/3-ZERO formaldehydfrei verleimt, CE-Zertifiziert, baurechtlich zugelassen</b>		12	2500 x 675	N + F	75	x
		15	2500 x 675	N + F	60	x
		18	2500 x 675	N + F	50	x
		22	2500 x 675	N + F	41	x
		25	2500 x 675	N + F	36	x
		30	2500 x 675	N + F	30	-
		12	2500 x 1250	N + F	75	-
		15	2500 x 1250	N + F	60	x
		18	2500 x 1250	N + F	52	x
		22	2500 x 1250	N + F	42	x
		25	2500 x 1250	N + F	38	x
		9	2500 x 1250	stumpf	100	x
		12	2500 x 1250	stumpf	75	x
		15	2500 x 1250	stumpf	60	x
		18	2500 x 1250	stumpf	50	x
		22	2500 x 1250	stumpf	41	x
		25	2500 x 1250	stumpf	36	x
		12	2650 x 1250	stumpf	75	x
		15	2650 x 1250	stumpf	55	x
		12	2800 x 1250	stumpf	75	x
		15	2800 x 1250	stumpf	55	x
		18	2800 x 1250	stumpf	50	-
		22	2800 x 1250	stumpf	41	-
	12	2800 x 2070	stumpf	38	-	
	15	2800 x 2070	stumpf	30	-	
	18	2800 x 2070	stumpf	25	-	
	12	3000 x 1250	stumpf	75	x	
	15	3000 x 1250	stumpf	55	x	

	Art.-Nr.	Stärke	Format		Paket-	Lager-
		mm	mm		inhalt	artikel
<b>OSB/4-ZERO</b> formaldehydfrei verleimt, CE-Zertifiziert, baurechtlich zugelassen		15	2500 x 1250	N + F	60	-
		18	2500 x 1250	N + F	50	-
		22	2500 x 1250	N + F	41	-
		25	2500 x 1250	N + F	36	-
		22	5000 x 1235	2-seitig N+F	22	x
		25	5000 x 1235	2-seitig N+F	18	x
		15	2500 x 1250	stumpf	60	-
		18	2500 x 1250	stumpf	50	-
		22	2500 x 1250	stumpf	41	-
		12	2650 x 1250	stumpf	75	-
		15	2650 x 1250	stumpf	60	-
		12	2800 x 1250	stumpf	75	-
		15	2800 x 1250	stumpf	60	-
		12	3000 x 1250	stumpf	75	-
		15	3000 x 1250	stumpf	60	-